

Saramonic

Sound.Remarkable. 


USB Multicolor Microphone

USB心形指向麦克风

SR-MV2000



User Manual
用户手册

Direct / Playback Monitoring




Smart LED indicator for adjustment

Gain / Mute Control



Smart LED indicator for adjustment

Connect to the Computer (USB-A)



System Requirements:




-Windows 7/10




-Mac OS 10.12

Connect to the Smartphone (USB-C Port)

(USB-C devices)



Magnetic Base




Specifications

Polar Pattern	Cardioid
Frequency Response	20 to 20kHz
Sample Rates	48kHz
Bit Rate	24-bit
Sensitivity	-36dB (0dB=1V/Pa, 1kHz 1Pa)
Signal to Noise Ratio	80dB
Maximum SPL	120dB
Output Connection	USB-C
Dimension	165x78.6x90mm
Weight	370g


Packing List

- SR-MV2000 USB Microphone
- 6.6'(2 meters)USB-A to USB-C Cable
- 6.6'(2 meters)USB-C to USB-C Cable
- 3/8''to 5/8'' Screw Adapter

实时监听 / 回放监听设置



增益 / 静音设置




GAIN
(麦克风
实时音量)



MUTE
(静音)

电脑连接操作（USB）




系统支持

 -Windows 7/10


 -IOS 10.12以上

手机连接操作 (Type-C)

(Type-C设备)



磁吸底座



参数

指向性	心形
频率响应	20至20kHz
采样率	48kHz
比特率	24-bit
灵敏度	-36dB (0dB=1V/Pa, 1kHz 1Pa)
信噪比	80dB
最大声压级	120dB
输出连接	USB-C
尺寸	165x78.6x90mm
重量	370g

包装清单

- SR-MV2000 USB 麦克风
- 2m USB-C 转 USB-C 数据线
- 2m USB-A 转 USB-C 数据线
- 3/8"转 5/8" 转接头



For better recording experience, the application Saramonic is recommended.

为获得更好的录制体验, 推荐使用枫笛 Saramonic 自主研发应用软件 Saramonic。



Scan the QR code and follow us!

扫描微信二维码关注枫笛公众号!

Shenzhen Jiayz Photo Industrial., Ltd

深圳市长丰影像器材有限公司

A16 Building, Intelligent Terminal Industrial Park of Silicon Valley
Power, Guanlan, Longhua District, Shenzhen, China

深圳市龙华区观澜街道大富工业区硅谷动力智能终端产业园A16栋

☎ 400-613-1096

🌐 www.saramonic.com

✉ info@saramonic.com